KERR

Material Safety Data Sheet in accordance with Community Regulation 2006/1907/EC (R.E.A.Ch.)

Revision Date: 19th May 2009

SECTION 1 Product & Company identification

- 1.1 Product name TAB (2000) LIQUID FAST
- 1.2 <u>Uses/Application</u>: Temporary Crown & Bridge material.
- 1.3 <u>Company (Name, address and info phone number)</u> KERR ITALIA S.r.l. Via Passanti, 332
 84018 Scafati (SA) - Italy Free phone: 00-800-41-050-505
- 1.4 <u>Emergency phone</u> (according to communitarian directive 99/45/EC, article 17) +39.081.8508.325 (08.00-17.00, European time, GMT+1) E-mail address: <u>safety@kerrhawe.com</u>

SECTION 2 Hazard identification

- 2.1 <u>Hazard classification</u> (according to communitarian directives 67/548/EEC & 99/45/EC) Highly flammable; Harmful; Irritating; Sensitizing.
- 2.2 Other hazard
 - None.

SECTION 3

Composition/Information on Ingredients

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

3.1 Hazardous ingredients

HAZARDOUS INGREDIENTS	%	HAZARD SYMBOLS	RISK PHRASES	CAS N.	EINECS N.
Methyl Methacrylate monomer (MMA)	> 90	F, Xi	11-36/37/38-43	80-62-6	201-297-1
Ethylene dimethacrylate	< 10	Xi	37-43	97-90-5	202-617-2
Methanol	< 10	F; T	11-23/24/25- 39/23/24/25	67-56-1	200-659-6
N,N dimethyl p-toluidine (DMPT)	< 1	Т	23/24/25-33-52/53	99-97-8	202-805-4
Hydroquinone	< 0,1	Xn; N	22-40-41-43-68-50	123-31-9	204-617-8

3.2 Other non-hazardous ingredients

None.

SECTION 4 First aid measures

4.1 Treatment for eye contact: Immediately flush eyes with water for at least 15 minutes. Call a physician.

<u>4.2 Treatment for skin contact</u>: Wash thoroughly with soap and water. If irritation seek medical attention.

<u>4.3 Treatment for inhalation (breathing)</u>: Move to fresh air. Administer oxygen or give artificial respiration as required.

<u>4.4 Treatment for ingestion (swallowing)</u>: In the unlikely event of ingestion, call a physician immediately and show this safety data sheet. <u>FOR PHYSICIAN</u>: give out a glass of paraffin oil. Inhalation of a small quantity of vomit containing material may cause lung damage. If gastrolysis occurs, it's better to intubate patient.

SECTION 5 Fire-fighting Measures

5.1 Suitable extinguishing media: Alcohol or polymer foam, Carbon dioxide, dry chemicals. Water spray (only from safety distance) to cool containers.

5.2 Forbidden extinguishing media: Water stream.

5.3 Special fire fighting measures: Keep away from flames and other heat sources. Cool exposed material to high temperatures with water spray. Vapors are heavier than air and may travel to ignition source.

5.4 Unusual fire and explosion hazards: Sealed containers exposed to elevated temperatures may rupture explosively due to polymerization. Vapours are heavier than air and may travel to ignition sources. Product combustion may cause toxic fumes emission and explosive air-vapour mixture formation.

5.5 Special protection equipment: Sealed overall for liquid and gases; self contained breathing apparatus.

SECTION 6 Accidental Release Measures

<u>6.1 Personal Precautions:</u> For high vapour concentration: Evacuate area, eliminate ignition sources. Absorb spills with inert material and transfer to suitable container for disposal. Refer to precautional measures reported in other sections.

<u>6.2 Environmental Precautions:</u> Material should not be allowed to drain into sewers. Avoid drains and rivers contamination.

<u>6.3 Reclaiming Methods:</u> Absorb into dry earth or sand, then transfer it into a suitable container for special disposal. Dispose of in accordance with local regulations.

SECTION 7

Handling and Storage (according to article 5 of communitarian directive 98/24/EC)

7.1 Handling Precautions: Keep away from ignition sources. Avoid exposure to excessive heat.

<u>7.2 Precautions in case of Fire and Explosion</u>: Extinguish all ignition sources. Vapours may produce explosive mixtures with air. Product can be electrostatically charged. Use always with grounded equipments.

<u>7.3 Storage Conditions</u>: Store in a cool, dark place and in containers tightly closed. Keep away from ignition sources.

<u>7.4 Suggested container(s)</u>: Original sealed containers provided by manufacturer.

<u>7.5 Indication for Combined Storage</u>: Avoid contact with oxidizing agents, peroxides, catalyzers, amines and heavy metals compounds.

7.6 Environmental precautions: Do not allow product to reach sewers and rivers.

7.7 Other Precautions: Use according to directions. No smoke.

SECTION 8 Exposure controls/personal p	vrotection			
8.1 Exposure Limits:	(MMA):	<u>TWA</u> : 50 ppm (205 mg/m ³);	<u>TLV</u> : 100 ppm (410 mg/m ³);	
	(Methanol):	TWA: 200 ppm (262 mg/m ³);	<u>STEL</u> : 250 ppm (328 mg/m ³)	
8.2 Exposure control measures	<u> </u>			
8.2.1 Precautionary Mease (according to communita		0/686/EEC & article 4 of 98/24/EC)		
	Local Exhaust Ventilation: Sufficient to keep vapour concentration below exposure limits.			
Ventilation:	<u>Special Ventilation</u> : None. <u>Mechanical (General) Ventilation</u> : None. Other Ventilation: None.			
Respiratory Protection:	When vapour concentration exceeds threshold limits: use self-contained breathing apparatus.			
Hands Protection:	Impervious gloves, butylic rubber or neoprene type			
Eyes Protection:	Safety glasses.			
Skin Protection:	Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure to uncured material.			
Other Protective Equipments:	Eyewash. It would be better use a lab coat.			
Measures listed in this paragra	uph are to be c	onsidered as indications and NC	OT prescriptions (89/656/EEC)	
8.2.2 Environment exposur Not Applicable.	e control meas	rures		

SECTION 9 Physical and Chemical Properties		
9.1 General information		
<u>Appearance</u> : Colourless liquid. <u>Odour</u> : Acrid, fruity odour.		
9.2 Information related to health, safety and environment		
<u>pH</u> : Not applicable (N/A)	<u>Relative density</u> : >1 g/ml @ 20°C (MMA)	
Boiling point: 100°C	Specific gravity: 0,943 g/ml @ 20°C	
Flash point: 10°C (TCC)	Solubility: 15,9 g/l (in water)	
<u>Flammability</u> : Yes.	Partition coefficient n-octanol/water: 1,38 (MMA)	
Lower Explosivity Limit (L.E.L.): 2,1	Viscosity: 0,63 mPa/sec @ 20°C (Brookfield)	
Upper Explosivity Limit (U.E.L.): 12,5	<u>Vapour density (air = 1)</u> : >1 @ 20°C (MMA)	
Oxidizing properties: None	<u>Evaporation rate (n-butane = 1)</u> : 3,1 (MMA)	
Vapour pressure: 40mBar @ 20°C	Melting point: -48,2°C (MMA)	
9.3 Other information (according to communitarian directive 94/9/EC):		
Miscibility: Not determined	Conducibility: N/A	
Solubility in Lipids: Not determined	Gases Group: N/A	

SECTION 10 Stability and Reactivity

Stability: Stable if stored as directed.

<u>10.1 Conditions to avoid</u>: Heat, light, aging, contamination and ignition sources.

<u>10.2 Materials to avoid (incompatibility</u>): Reducing and oxidizing agents. Material has strong solvent action and can soften paint and rubber.

10.3 Hazardous decomposition products: Carbon monoxide, carbon dioxide, smoke.

Other precautions:

Hazardous Polymerization Products: None.

Safety significance in case of change in physical appearance: None.

Stabilizers: The product is stabilized with Hydroquinone (see also section 3.1).

SECTION 11 Toxicological Information

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

No

Effects and hazards of eye contact: Liquid or high vapour concentration may cause irritation.

Effects and hazards of skin contact: May cause skin rashes.

Effects and hazards of Inhalation (Breathing): Prolonged exposition may lead to headaches, nausea, drowsiness and unconsciousness.

Effects and hazards of Ingestion (Swallowing): May cause gastro-intestinal distress.

Effects for prolonged Exposure: A prolonged exposure to the product may cause strong headaches, nausea, unconsciousness, drowsiness and anorexia.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

Methyl Methacrylate monomer	LD ₅₀ (oral rat)	> 5000 mg/Kg (OCSE 401)	
	LD ₅₀ (skin rabbit)	> 5000 mg/Kg	
	LC ₅₀ (inhalation rat/4hrs)	> 29,8 mg/l	
Methanol	LD ₅₀ (oral rat)	5628 mg/Kg	
	LC ₅₀ (inhalation rat/4hrs)	81,9 mg/l	
DMPT	LC ₅₀ (inhalation rat/4hrs)	1400 mg/m3	
Ethylene dimethacrylate	LD ₅₀ (oral rat)	3300 mg/Kg	
	LD ₅₀ (oral mouse)	2000 mg/Kg	
Hydroquinone	LD ₅₀ (oral rat)	302 mg/Kg	
	LD ₅₀ (skin mammal)	5970 mg/Kg	

SECTION 12 Ecological Information

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: 32% at 28 days

12.4 Bioaccumulative potential: Not available

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

quatic toxicity data for ingred			
Methyl Methacrylate	LC ₅₀ (Oncorhynchus mykiss, 96h)	> 79 mg/l (OCSE 203, GLP)	
monomer	EC ₅₀ (Daphnia magna, 48h)	69 mg/l (OCSE 202, 48 hours)	
	NOEC (Daphnia magna, 21 days)	37 mg/l (OCSE 202/2, flow)	
Easily biodegradable: 94%	EC ₃ (scenedesmus quadricauda)	37 mg/l (DIN 38412/9, 8days)	
(OCSE 301 C, 14 days)	EC ₅₀ (selenastrum capricornutum)	170 mg/l (OCSE 201, 96 hours)	
	EC ₀ (pseudomonas putida)	100 mg/l	
Methanol	EC ₅₀ (Algae)	> 500 mg/l	
4.1 Sea transportation (IMDC	5)		
SECTION 14 Fransport information			
<i>14.1 Sea transportation (IMDC</i> <u>UN number</u> : 1247 <u>Class</u> : <u>Stowage/segregation</u> : Category	3 <u>Packing group</u> : II <u>EMS-No</u>	: F-E, S-D	
Proper shipping name: Methyl	Methacrylate monomer, stabilized		
14.2 Air transportation (ICAO)	// / / / / /		
* '			
Maximum quantities: 5 Lt (Pas	lass: 3 Packing group: II Laborematic senger Aircraft); 60 Lt (Cargo Aircraft); 60 Lt (Cargo Aircraft); oper shipping name: Methyl Methacry	rcraft only)	
14.3 Transportation by Road/R	ailway (RID/ADR)		
UN number: 1247 Class:	3 Packing group: II; Ha	azard identific. n°: 339 Label: 3	
	Methacrylate Monomer, stabilized		

SECTION 15 (Classification according to communitarian directives 67/548/EEC & 99/45/EC) Regulatory information

Limited Quantity LQ4: (3lt/30 Kg for combined, 1lt/20Kg for bandaged trays/pallets).

Hazard labelling not required. This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

SECTION 16 Other information

16.1 Risk phrases of all ingredients

11	Highly flammable.
43	May cause sensitisation by skin contact.
36/37/38	Irritating to eyes, respiratory system and skin.
23/24/25	Toxic by inhalation, in contact with skin and if swallowed
22	Harmful if swallowed.
39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and
	if swallowed.
33	Danger of cumulative effects.
40	Limited evidence of a carcinogenic effect.

KERRMaterial Safety Data Sheet for: TAB (2000) LIQUID FAST41Risk of serious damage to eyes.

- 50 Very toxic to aquatic organisms.
- 52/53 Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

16.1.1 Safety phrases of all ingredients

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition.
- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37/39 Wear suitable gloves and eye/face protection.
- 46 If swallowed, seek medical advice immediately and show this container or label.

16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – <u>www.ecb.jrc.it</u>) European chemical Substances Information System (ESIS - <u>www.ecb.jrc.it/esis</u>) A.C.G.I.H. (<u>www.acgih.org</u>) N.I.OS.H. (<u>www.cdc.gov/niosh/</u>)

O.S.H.A. (www.osha.gov/)

U.E. (www.europa.eu/index it.htm)

I.A.R.C. (<u>www.iarc.fr/</u>)

N.T.P. (www.ntp.niehs.nih.gov)

European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative
	provisions of the Member States relating to the classification, packaging and labelling of
	dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement
	of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and
	substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of
	personal protective equipment at the workplace (third individual directive within the
	meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective
	equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective
	systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at
	work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

CAUTION: PRODUCT FOR PROFESSIONAL USE

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.